

1st Special Forces Group (Airborne), A-4-176 / A-6-194



Beret Flash



Description/Blazon

A yellow shield-shaped embroidered item with a semi-circular base edged with a 1/8 inch (.32cm) black inner border and a 1/8 inch (.32cm) yellow outer border. The overall dimensions are 1 7/8 inches (4.76cm) in width and 2 1/4 inches (5.72cm) in height. The Flash was approved on 24 Feb 1999..A-4-176

Background Trimming



Description/Blazon

A yellow oval-shaped embroidered item edged with a 1/8 inch (.32cm) black inner border and a 1/8 inch (.32cm) yellow outer border. The overall dimensions are 2 1/4 inches (5.72cm) in width and 1 3/8 inches (3.94cm) in height. The Background Trimming was approved on 24 Feb 1999. A-6-194

[Information & Plaques Courtesy of The Institute of Heraldry!!](#)



**DEPARTMENT OF THE ARMY
THE INSTITUTE OF HERALDRY**

9325 GUNSTON ROAD, ROOM S112
FORT BELVOIR, VIRGINIA 22060-5579

REPLY TO
ATTENTION OF

TAPC-PDH-Z (840-10a)

24 FEB 1999

MEMORANDUM FOR Commander, 1st Special Forces Group (Airborne), Box 339502,
Fort Lewis, Washington 98433-9502

SUBJECT: Beret Flash and Background Trimming for the 1st Special Forces Group
(Airborne)

1. In accordance with the provisions of paragraphs 27-29a and 27-29b, AR-670-1, a beret flash and background trimming are authorized for wear by members of the 1st Special Forces Group. This authorization supersedes all previous authorizations for the beret flash and background trimming for the 1st Special Forces Group.
2. The descriptions of the designs are as follows:

BERET FLASH

A yellow shield-shaped embroidered item with a semi-circular base edged with a 1/8 inch (.32 cm) black inner border and a 1/8 inch (.32 cm) yellow outer border. The overall dimensions are 1 7/8 inches (4.76 cm) in width and 2 1/4 inches (5.72 cm) in height.


BACKGROUND TRIMMING

A yellow oval-shaped embroidered item edged with a 1/8 inch (.32 cm) black inner border and a 1/8 inch (.32 cm) yellow outer border. The overall dimensions are 2 1/4 inches (5.72 cm) in width and 1 3/8 inches (3.94 cm) in height.

CABLE NUMBERS OF COLORS

Black # 67138
Yellow # 67108

3. This authorization does not grant exclusive use of the above colors and pattern design for the 1st Special Forces Group.


THOMAS B. PROFFITT
Director

Printed on  Recycled Paper


Encl 1



| REVISIONS | | | |
|-----------|-------------|------|----------|
| LTR | DESCRIPTION | DATE | APPROVED |

D

D



C

C

B

B

DESIGNED FOR OVEREDGE STITCH

A

A

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES

MATERIALS:
TO BE MANUFACTURED IN ACCORDANCE WITH MIL-1-14652

| | | |
|----------|--------------------------------|-----------|
| EXAMINED | <i>SMH</i> | |
| CHECKED | <i>JM</i> | <i>pr</i> |
| PREPARED | <i>RR</i> | |
| APPROVED | <i>Thomas B. Proffitt</i> | |
| | THOMAS B. PROFFITT DIRECTOR | |

THE INSTITUTE OF HERALDRY, U.S. ARMY
9325 GUNSTON RD. S-112 FORT BELVOIR, VA 22060-5579


BERET FLASH FOR
**1ST SPECIAL FORCES
GROUP**

| | | |
|----------|-------------------|-----------------------|
| SIZE | CONTROL IDENT. NO | |
| A | 22571 | A-4-176 |
| SCALE | FULL | DATE 24 FEBRUARY 1999 |



REVISIONS

| LTR | DESCRIPTION | DATE | APPROVED |
|-----|-------------|------|----------|
|-----|-------------|------|----------|



DESIGNED FOR OVEREDGE STITCH

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TOLERANCES ON FRACTIONS DECIMALS ANGLES

MATERIALS:
TO BE MANUFACTURED IN ACCORDANCE WITH MIL-1-14652

| | | |
|----------|------------|-----------|
| EXAMINED | <i>SMH</i> | |
| CHECKED | <i>JM</i> | <i>pc</i> |
| PREPARED | <i>RR</i> | |

APPROVED
Thomas B. Proffitt
THOMAS B. PROFFITT
DIRECTOR

THE INSTITUTE OF HERALDRY, U.S. ARMY
9325 GUNSTON RD. S-112 FORT BELVOIR, VA 22060-5579

BACKGROUND TRIMMING FOR
1ST SPECIAL FORCES GROUP

| | | |
|----------|-------------------|-----------------------|
| SIZE | CONTROL IDENT. NO | |
| A | 22571 | A-6-194 |
| SCALE | FULL | DATE 24 FEBRUARY 1999 |

